

	Type	Hits	Search Text	DBs
1	BRS	141119	detec\$ near2 user\$ or robot\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	0	(detec\$ near2 user\$ or robot\$) and (invisible near2 url\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	22	(detec\$ near2 user\$ or robot\$) and (hidden near2 url\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	2	6366933.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	detect\$ near2 user near2 robots	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	0	determin\$ near2 user near2 robots	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	determin\$ near2 usegr near2 robots	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	23	determin\$ near2 user\$ near2 robot\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	10310	bitmap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	221	bitmap and (page\$ near2 files)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	52	(bitmap and (page\$ near2 files)) and tree	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	128	(bitmap and (page\$ near2 files)) and (director\$ or tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	126	((bitmap and (page\$ near2 files)) and (director\$ or tree)) and object\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	1	((((bitmap and (page\$ near2 files)) and (director\$ or tree)) and object\$) and (cluster\$ near2 object\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	9	((((bitmap and (page\$ near2 files)) and (director\$ or tree)) and object\$) and cluster\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	191	clusters near2 objects	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	1	(clusters near2 objects) and (bitmap near2 object\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	754	707/206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	41	707/206 and bitmap\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	3	(707/206 and bitmap\$) and clusters and page	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	3	(707/206 and bitmap\$) and clusters and page\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	2	(707/206 and bitmap\$) and clusters and page\$ and objects	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	6	(707/206 and bitmap\$) and clusters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	65771	data near2 structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	3051	(data near2 structure) and bitmap\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	235	((data near2 structure) and bitmap\$) and (page near2 file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	46	((((data near2 structure) and bitmap\$) and (page near2 file)) and cluster\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	5013	page\$ near2 file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	1753	free near2 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	3	(free near2 bit) and (bitmap\$ near2 object\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
31	BRS	11	(free near2 bit) and (page\$ near2 file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	755	707/206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	35	707/206 and (bit near2 map)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	6	(707/206 and (bit near2 map)) and (free near2 page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	1	(707/206 and (bit near2 map)) and (free near2 page) and cluster\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	79	(free near2 page) and cluster\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	10	((free near2 page) and cluster\$) and (bit near2 map\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	0	webpage near2 trap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	95	page near2 trap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	0	(page near2 trap) and webpage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	6	(page near2 trap) and web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	17	spider near2 trap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	0	webbot near2 trap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	78	web near2 trap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	69	web near2 trap	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	28	(web near2 trap) and prevent	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	0	webpage near2 trap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	0	web-page near2 trap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	418	visit\$ near2 page	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	418	(visit\$ near2 page) and (trap\$ ner2 page)	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	9	(visit\$ near2 page) and (trap\$ ner2 page) and webpage	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	0	(visit\$ near2 page) and (trap\$ near2 page) and webpage	USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	0	(visit\$ near2 page) and (trap\$ near2 page)	USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	132	(trap\$ near2 page)	USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	1	((trap\$ near2 page)) and (web near2 page\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
61	BRS	2	5504888.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	10519	adjacent near2 bits	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	2592	(adjacent near2 bits) and counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	2015	(adjacent near2 bits) and (counter same bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	315	(counter same (adjacent near2 bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	19	(counter same (adjacent near2 bits)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	452	"L18" and words	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	1	((counter same (adjacent near2 bits)).clm.) and words) and file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	12	((counter same (adjacent near2 bits)).clm.) and words	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	17	(counter same (adjacent near2 bits)).clm.	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	35	(counter same (adjacent near2 bits)) and file	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	((counter same (adjacent near2 bits)) and file) and clusters	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	25	((counter same (adjacent near2 bits)) and file) and state	USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	33	(count same (adjacent near2 bits)) and file	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	2005	707/205 or 707/206	USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	7	(707/205 or 707/206) and (adjacent near2 bit)	USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	5	((707/205 or 707/206) and (adjacent near2 bit)) and count	USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	1546	(adjacent near2 bits) and (count same bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	BRS	1198	(adjacent near2 bits) and (count with bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	13	((adjacent near2 bits) and (count with bit)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	BRS	52	directory near2 bitmap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	1	(directory near2 bitmap) and (adjacent near2 bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	BRS	188	(adjacent near2 bits) and bitmap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	BRS	64	((adjacent near2 bits) and bitmap) and count	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85	BRS	144	"L64" and words	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	BRS	40	((adjacent near2 bits) and bitmap) and count) and (bit same word)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	BRS	29	((adjacent near2 bits) and bitmap) and count) and (bit same word)	USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	1281	704/9	USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	1	704/9 and (count\$2 same (adjacent near2 word))	USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	0	704/9 and (count\$2 same (free near2 page))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
1	BRS	52	(bitmap and (page\$ near2 files)) and tree	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	128	(bitmap and (page\$ near2 files)) and (director\$ or tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	126	((bitmap and (page\$ near2 files)) and (director\$ or tree)) and object\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	1	((((bitmap and (page\$ near2 files)) and (director\$ or tree)) and object\$) and (cluster\$ near2 object\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	9	((((bitmap and (page\$ near2 files)) and (director\$ or tree)) and object\$) and cluster\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	191	clusters near2 objects	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	1	(clusters near2 objects) and (bitmap near2 object\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	754	707/206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	41	707/206 and bitmap\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	3	(707/206 and bitmap\$) and clusters and page	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	3	(707/206 and bitmap\$) and clusters and page\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	2	(707/206 and bitmap\$) and clusters and page\$ and objects	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	6	(707/206 and bitmap\$) and clusters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	65771	data near2 structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	3051	(data near2 structure) and bitmap\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	235	((data near2 structure) and bitmap\$) and (page near2 file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	46	((((data near2 structure) and bitmap\$) and (page near2 file)) and cluster\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	5013	page\$ near2 file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	1753	free near2 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	3	(free near2 bit) and (bitmap\$ near2 object\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	11	(free near2 bit) and (page\$ near2 file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	755	707/206	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	35	707/206 and (bit near2 map)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	6	(707/206 and (bit near2 map)) and (free near2 page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	1	(707/206 and (bit near2 map)) and (free near2 page) and cluster\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	79	(free near2 page) and cluster\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	10	((free near2 page) and cluster\$) and (bit near2 map\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	0	webpage near2 trap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	95	page near2 trap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	0	(page near2 trap) and webpage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
60	BRS	10	((allocat\$ near2 object\$) and (object\$ near2 free)) and (bitmap\$ or (bit near2 map\$))) and page and file	USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	182	(allocat\$ near2 object\$) and cluster\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	78	(allocat\$ near2 object\$) and clusters	USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	4	((allocat\$ near2 object\$) and clusters) and (bitmap\$ or (bit near2 map\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	718	707/206	USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	69	707/206 and (bitmap\$ or (bit near2 map\$))	USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	10	(707/206 and (bitmap\$ or (bit near2 map\$))) and clusters	USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	5	(707/206 and (bitmap\$ or (bit near2 map\$))) and clusters and page	USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	5	(707/206 and (bitmap\$ or (bit near2 map\$))) and clusters and page and free	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	17	indicat\$ near2 free near2 page	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	5	(indicat\$ near2 free near2 page) and (files or databases)	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	369	cluster\$ near2 objects	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	158	(cluster\$ near2 objects) and (files or databases)	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	18	((cluster\$ near2 objects) and (files or databases)) and (bitmap\$ or (bit near2 map))	USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	1	((cluster\$ near2 objects) and (files or databases)) and (bitmap\$ or (bit near2 map))) and (free near2 page)	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	260	free near2 clusters	USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	73	(free near2 clusters) and page\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	10	((free near2 clusters) and page\$) and (bitmap\$ or (bit near2 map))	USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	2	5715455.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	1	5715455.pn. and objects	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	1	5715455.pn. and object	USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	1	5715455.pn. and record	USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	1792	707/206 or 707/205	USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	1	(707/206 or 707/205) and (clusters near2 objects)	USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	15	FAT and (cluster\$ near2 objects)	USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	5	(FAT and (cluster\$ near2 objects)) and page\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	26	"5732402"	USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	2	"5732402".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	0	"5732402".pn. and cluster	USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	584	allocat\$ near2 sectors	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
90	BRS	5	indicat\$ near2 allocat\$ near2 sectors	USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	2	5715455.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	1	5715455.pn. and records	USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	23	(cluster near2 ("16" near2 sectors))	USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	0	(cluster near2 ("16" near2 sectors)) and (free near2 page\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	523	(free near2 cluster\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	718	707/206	USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	8	707/206 and (free near2 cluster\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	2	5715455.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	1	5715455.pn. and count	USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	24	directory near2 bitmap	USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	1792	707/205 or 707/206	USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	1	(707/205 or 707/206) and (directory near2 bitmap)	USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	1	((707/205 or 707/206) and (directory near2 bitmap)) and count	USPAT; EPO; JPO; DERWENT; IBM_TDB
104	BRS	0	5732402.pn. and (page near2 file)	USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	2830	page near2 file	USPAT; EPO; JPO; DERWENT; IBM_TDB